




TIMING PULLEY



FOR ALL TYPES REFER ABOVE DRAWING

A) Tooth Style :- HTD 3mm pitch
Width of Belt:- 6 mm

Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
10-3M06M6CA3	10	6C	3	9.6	8.8	12.8		14.5	7.2	12.8
11-3M06M6CA3	11	6C	3	10.5	9.7	13.5		14.5	7.2	13.5
12-3M06M6CA4	12	6C	4	11.5	10.7	14.7		14.5	7.2	14.7
13-3M06M6CA4	13	6C	4	12.4	11.6	15.5		14.5	7.2	15.5
14-3M06M6CA6	14	6C	6	13.4	12.6	16.1		14.5	7.2	16.1
15-3M06M6CA6	15	6C	6	14.3	13.5	17.4		14.5	7.2	17.4
16-3M06M6CA6	16	6C	6	15.3	14.5	18		14.5	7.2	18
17-3M06M6CA6	17	6C	6	16.2	15.4	18.8		14.5	7.2	18.8
18-3M06M6FA6	18	6F	6	17.2	16.4	20	9.8	17.5	7.2	11.2
19-3M06M6FA6	19	6F	6	18.2	17.4	20.7	9.8	17.5	7.2	11.9
20-3M06M6FA6	20	6F	6	19.1	18.3	22.7	9.8	17.5	7.2	12.7
22-3M06M6FA6	22	6F	6	21	20.2	24	9.8	17.5	7.2	14.3
24-3M06M6FA6	24	6F	6	22.9	22.1	26	9.8	17.5	7.2	15.9
25-3M06M6FA6	25	6F	6	23.9	23.1	26.9	9.8	17.5	7.2	15.9
26-3M06M6FA6	26	6F	6	24.8	24	28.1	9.8	17.5	7.2	15.9
28-3M06M6FA6	28	6F	6	26.8	26	29.8	9.8	17.5	7.2	17.8
30-3M06M6FA6	30	6F	6	28.7	27.9	31.8	9.8	17.5	7.2	19.7
32-3M06M6FA6	32	6F	6	30.6	29.8	33.6	9.8	17.5	7.2	21.6
34-3M06M6FA6	34	6F	6	32.5	31.7	35.5	10.3	18.3	7.2	23.4
36-3M06M6FA6	36	6F	6	34.4	33.6	37.4	10.3	18.3	7.2	25.4
38-3M06M6FA6	38	6F	6	36.3	35.5	39.4	10.3	18.3	7.2	27.3
40-3M06M6FA6	40	6F	6	38.2	37.4	41.3	10.3	18.3	7.2	29.2
44-3M06M6FA6	44	6F	6	42	41.2	45.1	10.3	18.3	7.2	33
18-3M06M6A6	18	6	6	17.2	16.4		9.8	17.5	6	11.2
19-3M06M6A6	19	6	6	18.2	17.4		9.8	17.5	6	11.9
20-3M06M6A6	20	6	6	19.1	18.3		9.8	17.5	6	12.7
22-3M06M6A6	22	6	6	21	20.2		9.8	17.5	6	14.3
24-3M06M6A6	24	6	6	22.9	21.1		9.8	17.5	6	15.9
25-3M06M6A6	25	6	6	23.9	23.1		9.8	17.5	6	15.9
26-3M06M6A6	26	6	6	24.8	24		9.8	17.5	6	15.9
28-3M06M6A6	28	6	6	26.8	26		9.8	17.5	6	17.8

30-3M06M6A6	30	6	6	28.7	27.9		9.8	17.5	6	19.7
32-3M06M6A6	32	6	6	30.6	29.8		9.8	17.5	6	21.6
34-3M06M6A6	34	6	6	32.5	31.7		10.3	18.3	6	23.4
36-3M06M6A6	36	6	6	34.4	33.6		10.3	18.3	6	25.4
38-3M06M6A6	38	6	6	36.3	35.5		10.3	18.3	6	27.3
40-3M06M6A6	40	6	6	38.2	37.4		10.3	18.3	6	29.2
44-3M06M6A6	44	6	6	42	41.2		10.3	18.3	6	33
48-3M06M6A8	48	6	8	45.8	45		10.3	18.6	6	31.8
50-3M06M6A8	50	6	8	47.8	47		10.3	18.6	6	31.8
56-3M06M6A8	56	6	8	53.5	52.7		10.3	18.6	6	31.8
60-3M06M6A8	60	6	8	57.3	56.5		10.3	18.6	6	31.8
62-3M06M6A8	62	6	8	59.2	58.4		10.3	18.6	6	31.8
72-3M06M6A8	72	6	8	68.8	68		10.3	18.6	6	31.8

B) Tooth Style :- HTD 3mm pitch Width of Belt:- 9 mm										
Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
10-3M09M6CA3	10	6C	3	9.6	8.8	12.8		17.5	10.2	12.8
11-3M09M6CA3	11	6C	3	10.5	9.7	13.5		17.5	10.2	13.5
12-3M09M6CA4	12	6C	4	11.5	10.7	14.7		17.5	10.2	14.7
13-3M09M6CA4	13	6C	4	12.4	11.6	15.5		17.5	10.2	15.5
14-3M09M6CA6	14	6C	6	13.4	12.6	16.1		17.5	10.2	16.1
15-3M09M6CA6	15	6C	6	14.3	13.5	17.4		17.5	10.2	17.4
16-3M09M6CA6	16	6C	6	15.3	14.5	18		17.5	10.2	18
17-3M09M6CA6	17	6C	6	16.2	15.4	18.8		17.5	10.2	18.8
18-3M09M6FA6	18	6F	6	17.2	16.4	20	12.8	20.6	10.2	11.2
19-3M09M6FA6	19	6F	6	18.2	17.4	20.7	12.8	20.6	10.2	11.9
20-3M09M6FA6	20	6F	6	19.1	18.3	22.7	12.8	20.6	10.2	12.7
22-3M09M6FA6	22	6F	6	21	20.2	24	12.8	20.6	10.2	14.3
24-3M09M6FA6	24	6F	6	22.9	22.1	26	12.8	20.6	10.2	15.9
25-3M09M6FA6	25	6F	6	23.9	23.1	26.9	12.8	20.6	10.2	15.9
26-3M09M6FA6	26	6F	6	24.8	24	28.1	12.8	20.6	10.2	15.9
28-3M09M6FA6	28	6F	6	26.8	26	29.8	12.8	20.6	10.2	17.8
30-3M09M6FA6	30	6F	6	28.7	27.9	31.8	12.8	20.6	10.2	19.7
32-3M09M6FA6	32	6F	6	30.6	29.8	33.6	12.8	20.6	10.2	21.6

34-3M09M6FA6	34	6F	6	32.5	31.7	35.5	13.4	21.4	10.2	23.4
36-3M09M6FA6	36	6F	6	34.4	33.6	37.4	13.4	21.4	10.2	25.4
38-3M09M6FA6	38	6F	6	36.3	35.5	39.4	13.4	21.4	10.2	27.3
40-3M09M6FA6	40	6F	6	38.2	37.4	41.3	13.4	21.4	10.2	29.2
44-3M09M6FA6	44	6F	6	42	41.2	45.1	13.4	21.4	10.2	33
18-3M09M6A6	18	6	6	17.2	16.4		12.8	20.6	9	11.2
19-3M09M6A6	19	6	6	18.2	17.4		12.8	20.6	9	11.9
20-3M09M6A6	20	6	6	19.1	18.3		12.8	20.6	9	12.7
22-3M09M6A6	22	6	6	21	20.2		12.8	20.6	9	14.3
24-3M09M6A6	24	6	6	22.9	22.1		12.8	20.6	9	15.9
25-3M09M6A6	25	6	6	23.9	23.1		12.8	20.6	9	15.9
26-3M09M6A6	26	6	6	24.8	24		12.8	20.6	9	15.9
28-3M09M6A6	28	6	6	26.8	26		12.8	20.6	9	17.8
30-3M09M6A6	30	6	6	28.7	27.9		12.8	20.6	9	19.7
32-3M09M6A6	32	6	6	30.6	29.8		12.8	20.6	9	21.6
34-3M09M6A6	34	6	6	32.5	31.7		13.4	21.4	9	23.4
36-3M09M6A6	36	6	6	34.4	33.6		13.4	21.4	9	25.4
38-3M09M6A6	38	6	6	36.3	35.5		13.4	21.4	9	27.3
40-3M09M6A6	40	6	6	38.2	37.4		13.4	21.4	9	29.2
44-3M09M6A6	44	6	6	42	41.2		13.4	21.4	9	33
48-3M09M6A8	48	6	8	45.8	45		12.7	22.2	9	31.8
50-3M09M6A8	50	6	8	47.8	47		12.7	22.2	9	31.8
56-3M09M6A8	56	6	8	53.5	52.7		12.7	22.2	9	31.8
60-3M09M6A8	60	6	8	57.3	56.5		12.7	22.2	9	31.8
62-3M09M6A8	62	6	8	59.2	58.4		12.7	22.2	9	31.8
72-3M09M6A8	72	6	8	68.8	68		12.7	22.2	9	31.8

C) Tooth Style :- HTD 5mm pitch Width of Belt:- 9 mm										
Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
12-5M09M6FA6	12	6F	6	19.1	18	22.2	13.9	20.2	10.6	11.1
13-5M09M6FA6	13	6F	6	20.7	19.6	23.8	13.9	20.2	10.6	12.7
14-5M09M6FA6	14	6F	6	22.2	21.1	25.4	13.9	20.2	10.6	12.7
15-5M09M6FA6	15	6F	6	23.8	22.7	27	13.9	20.2	10.6	14.3
16-5M09M6FA6	16	6F	6	25.4	24.3	27.8	13.9	20.2	10.6	14.3

17-5M09M6FA8	17	6F	8	27	25.9	30.2	13.9	20.2	10.6	15.9
18-5M09M6FA8	18	6F	8	28.6	27.5	31.8	13.9	20.2	10.6	17.5
19-5M09M6FA8	19	6F	8	30.2	29.1	33.3	13.9	20.2	10.6	19.1
20-5M09M6FA8	20	6F	8	31.8	30.7	34.9	13.9	20.2	10.6	20.6
22-5M09M6FA8	22	6F	8	35	33.9	38.1	13.9	20.2	10.6	23.8
24-5M09M6FA8	24	6F	8	38.2	37.1	41.3	13.9	21.8	10.6	25.4
25-5M09M6FA8	25	6F	8	39.8	38.7	42.9	13.9	21.8	10.6	25.4
26-5M09M6FA8	26	6F	8	41.4	40.2	44.5	13.9	21.8	10.6	27
28-5M09M6FA8	28	6F	8	44.5	43.4	47.6	13.9	21.8	10.6	30.2
30-5M09M6FA8	30	6F	8	47.8	46.6	50.8	13.9	21.8	10.6	30.2
32-5M09M6FA8	32	6F	8	50.9	49.8	54	13.9	21.8	10.6	31.8
34-5M09M6FA8	34	6F	8	54.1	53	57.2	13.9	21.8	10.6	35
12-5M09M6A6	12	6	6	19.1	18		13.9	20.2	9	11.1
13-5M09M6A6	13	6	6	20.7	19.6		13.9	20.2	9	12.7
14-5M09M6A6	14	6	6	22.2	21.1		13.9	20.2	9	12.7
15-5M09M6A6	15	6	6	23.8	22.7		13.9	20.2	9	14.3
16-5M09M6A6	16	6	6	25.4	24.3		13.9	20.2	9	14.3
17-5M09M6A8	17	6	8	27	25.9		13.9	20.2	9	15.9
18-5M09M6A8	18	6	8	28.6	27.5		13.9	20.2	9	17.5
19-5M09M6A8	19	6	8	30.2	29.1		13.9	20.2	9	19.1
20-5M09M6A8	20	6	8	31.8	30.7		13.9	20.2	9	20.6
22-5M09M6A8	22	6	8	35	33.9		13.9	20.2	9	23.8
24-5M09M6A8	24	6	8	38.2	37.1		13.9	21.8	9	25.4
25-5M09M6A8	25	6	8	39.8	38.7		13.9	21.8	9	25.4
26-5M09M6A8	26	6	8	41.4	40.2		13.9	21.8	9	27
28-5M09M6A8	28	6	8	44.5	43.4		13.9	21.8	9	30.2
30-5M09M6A8	30	6	8	47.8	46.6		13.9	21.8	9	30.2
32-5M09M6A8	32	6	8	50.9	49.8		13.9	21.8	9	31.8
34-5M09M6A8	34	6	8	54.1	53		13.9	21.8	9	35
36-5M09M6A10	36	6	10	57.3	56.2		13.9	23.8	9	38.1
38-5M09M6A10	38	6	10	60.5	59.3		13.9	23.8	9	38.1
40-5M09M6A10	40	6	10	63.6	62.5		13.9	23.8	9	38.1
44-5M09M6A10	44	6	10	70	68.9		13.9	23.8	9	38.1
48-5M09M6A12	48	6	12	76.4	75.3		13.9	23.8	9	38.1
50-5M09M6A12	50	6	12	79.6	78.4		13.9	23.8	9	38.1
56-5M09M6A12	56	6	12	89.1	88		13.9	23.8	9	38.1

60-5M09M6A12	60	6	12	95.5	94.4		13.9	23.8	9	38.1
62-5M09M6A12	62	6	12	98.7	97.5		13.9	23.8	9	38.1
70-5M09M6A12	70	6	12	111.4	110.3		13.9	23.8	9	38.1
72-5M09M6A12	72	6	12	114.6	113.5		13.9	23.8	9	38.1

D) Tooth Style :- HTD 5mm pitch Width of Belt:- 15 mm

Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
12-5M15M6FA6	12	6F	6	19.1	18	22.2	19.8	26.2	16.5	11.1
13-5M15M6FA6	13	6F	6	20.7	19.6	23.8	19.8	26.2	16.5	12.7
14-5M15M6FA6	14	6F	6	22.2	21.1	25.4	19.8	26.2	16.5	12.7
15-5M15M6FA6	15	6F	6	23.8	22.7	27	19.8	26.2	16.5	14.3
16-5M15M6FA6	16	6F	6	25.4	24.3	27.8	19.8	26.2	16.5	14.3
17-5M15M6FA8	17	6F	8	27	25.9	30.2	19.8	26.2	16.5	15.9
18-5M15M6FA8	18	6F	8	28.6	27.5	31.8	19.8	26.2	16.5	17.5
19-5M15M6FA8	19	6F	8	30.2	29.1	33.3	19.8	26.2	16.5	19.1
20-5M15M6FA8	20	6F	8	31.8	30.7	34.9	19.8	26.2	16.5	20.6
22-5M15M6FA8	22	6F	8	35	33.9	38.1	19.8	26.2	16.5	23.8
24-5M15M6FA8	24	6F	8	38.2	37.1	41.3	19.8	27.8	16.5	25.4
25-5M15M6FA8	25	6F	8	39.8	38.7	42.9	19.8	27.8	16.5	25.4
26-5M15M6FA8	26	6F	8	41.4	40.2	44.5	19.8	27.8	16.5	27
28-5M15M6FA8	28	6F	8	44.5	43.4	47.6	19.8	27.8	16.5	30.2
30-5M15M6FA8	30	6F	8	47.8	46.6	50.8	19.8	27.8	16.5	30.2
32-5M15M6FA8	32	6F	8	50.9	49.8	54	19.8	27.8	16.5	31.8
34-5M15M6FA8	34	6F	8	54.1	53	57.2	19.8	27.8	16.5	35
12-5M15M6A6	12	6	6	19.1	18		19.8	26.2	15	11.1
13-5M15M6A6	13	6	6	20.7	19.6		19.8	26.2	15	12.7
14-5M15M6A6	14	6	6	22.2	21.1		19.8	26.2	15	12.7
15-5M15M6A6	15	6	6	23.8	22.7		19.8	26.2	15	14.3
16-5M15M6A6	16	6	6	25.4	24.3		19.8	26.2	15	14.3
17-5M15M6A8	17	6	8	27	25.9		19.8	26.2	15	15.9
18-5M15M6A8	18	6	8	28.6	27.5		19.8	26.2	15	17.5
19-5M15M6A8	19	6	8	30.2	29.1		19.8	26.2	15	19.1
20-5M15M6A8	20	6	8	31.8	30.7		19.8	26.2	15	20.6
22-5M15M6A8	22	6	8	35	33.9		19.8	26.2	15	23.8

24-5M15M6A8	24	6	8	38.2	37.1		19.8	27.8	15	25.4
25-5M15M6A8	25	6	8	39.8	38.7		19.8	27.8	15	25.4
26-5M15M6A8	26	6	8	41.4	40.2		19.8	27.8	15	27
28-5M15M6A8	28	6	8	44.5	43.4		19.8	27.8	15	30.2
30-5M15M6A8	30	6	8	47.8	46.6		19.8	27.8	15	30.2
32-5M15M6A8	32	6	8	50.9	49.8		19.8	27.8	15	31.8
34-5M15M6A8	34	6	8	54.1	53		19.8	27.8	15	35
36-5M15M6A10	36	6	10	57.3	56.2		19.8	30.1	15	38.1
38-5M15M6A10	38	6	10	60.5	59.3		19.8	30.1	15	38.1
40-5M15M6A10	40	6	10	63.6	62.5		19.8	30.1	15	38.1
44-5M15M6A10	44	6	10	70	68.9		19.8	30.1	15	38.1
48-5M15M6A12	48	6	12	76.4	75.3		19.8	30.1	15	38.1
50-5M15M6A12	50	6	12	79.6	78.4		19.8	30.1	15	38.1
56-5M15M6A12	56	6	12	89.1	88		19.8	30.1	15	38.1
60-5M15M6A12	60	6	12	95.5	94.4		19.8	30.1	15	38.1
62-5M15M6A12	62	6	12	98.7	97.5		19.8	30.1	15	38.1
70-5M15M6A12	70	6	12	111.4	110.3		19.8	30.1	15	38.1
72-5M15M6A12	72	6	12	114.6	113.5		19.8	30.1	15	38.1

E) Tooth Style :- MXL 2.03mm pitch Width of Belt:- 3 mm										
Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
10MP012M6CA3	10	6C	3	6.5	6	10.8		11.1	4	10.8
11MP012M6CA3	11	6C	3	7.1	6.6	11.4		11.1	4	11.4
12MP012M6CA3	12	6C	3	7.8	7.3	12.2		11.1	4	12.2
14MP012M6CA3	14	6C	3	9.1	8.6	13.5		11.1	4	13.5
15MP012M6CA5	15	6C	5	9.7	9.2	14.1		11.1	4	14.1
16MP012M6CA5	16	6C	5	10.3	9.8	14.7		11.1	4	14.7
18MP012M6FA5	18	6F	5	11.6	11.1	16.1		12.3	4	7.9
20MP012M6FA5	20	6F	5	12.9	12.4	17.4	6.6	12.3	4	9.2
21MP012M6FA5	21	6F	5	13.6	13.1	18	6.6	12.3	4	9.9
22MP012M6FA5	22	6F	5	14.2	13.7	18.8	6.6	12.3	4	9.9
24MP012M6FA6	24	6F	6	15.5	15	20.1	6.6	13.1	4	11.2
28MP012M6FA6	28	6F	6	18.1	17.6	22.7	6.6	13.1	4	12.5
30MP012M6FA6	30	6F	6	19.4	18.9	24	6.6	13.1	4	13.9

32MP012M6FA6	32	6F	6	20.7	20.2	25.4	6.6	13.1	4	15.2
36MP012M6FA6	36	6F	6	23.3	22.8	28.1	6.6	13.1	4	17.2
40MP012M6FA6	40	6F	6	25.9	25.4	30.7	7	13.5	4	19.2
42MP012M6FA6	42	6F	6	27.2	26.7	32	7	13.5	4	20.5
44MP012M6FA6	44	6F	6	28.5	28	33.4	7	13.5	4	21.8
48MP012M6FA6	48	6F	6	31	30.5	36.1	7	13.5	4	23.8
60MP012M6FA6	60	6F	6	38.8	38.3	43.9	7	13.5	4	31

F) Tooth Style :- MXL 2.03mm pitch Width of Belt:- 6 mm										
Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
10MP025M6CA3	10	6C	3	6.5	6	10.8		14.3	7.2	10.8
11MP025M6CA3	11	6C	3	7.1	6.6	11.4		14.3	7.2	11.4
12MP025M6CA3	12	6C	3	7.8	7.3	12.2		14.3	7.2	12.2
14MP025M6CA3	14	6C	3	9.1	8.6	13.5		14.3	7.2	13.5
15MP025M6CA4	15	6C	4	9.7	9.2	14.1		14.3	7.2	14.1
16MP025M6CA4	16	6C	4	10.3	9.8	14.7		14.3	7.2	14.7
18MP025M6FA4	18	6F	4	11.6	11.1	16.1	9.9	15.9	7.2	7.9
18MP025M6CA6	18	6C	6	11.6	11.1	16.1		14.3	7.2	16.1
20MP025M6FA4	20	6F	4	12.9	12.4	17.4	9.9	15.9	7.2	9.2
20MP025M6CA6	20	6C	6	12.9	12.4	17.4		14.3	7.2	17.4
21MP025M6FA4	21	6F	4	13.6	13.1	18	9.9	15.9	7.2	9.9
21MP025M6CA6	21	6C	6	13.6	13.1	18		14.3	7.2	18
22MP025M6FA4	22	6F	4	14.2	13.7	18.8	9.9	15.9	7.2	9.9
22MP025M6CA6	22	6C	6	14.2	13.7	18.8		14.3	7.2	18.8
24MP025M6FA6	24	6F	6	15.5	15	20.1	9.9	17.5	7.2	11.2
25MP025M6FA6	25	6F	6	16.2	15.7	20.7	9.9	17.5	7.2	11.9
28MP025M6FA6	28	6F	6	18.1	17.6	22.7	9.9	17.5	7.2	12.5
30MP025M6FA6	30	6F	6	19.4	18.9	24	9.9	17.5	7.2	13.9
32MP025M6FA6	32	6F	6	20.7	20.2	25.4	9.9	17.5	7.2	15.2
36MP025M6FA6	36	6F	6	23.3	22.8	28.1	9.9	17.5	7.2	17.2
40MP025M6FA6	40	6F	6	25.9	25.4	30.7	10.3	18.3	7.2	19.2
42MP025M6FA6	42	6F	6	27.2	26.7	32	10.3	18.3	7.2	20.5
44MP025M6FA6	44	6F	6	28.5	28	33.4	10.3	18.3	7.2	21.8
48MP025M6FA6	48	6F	6	31	30.5	36.1	10.3	18.3	7.2	23.8

60MP025M6FA6	60	6F	6	38.8	38.3	43.9	10.3	18.3	7.2	31
60MP025M6A6	60	6	6	38.8	38.3			19.1	9.5	29.2
72MP025M6A6	72	6	6	46.6	46.1			19.1	9.5	30.4
80MP025M6A8	80	6	8	51.7	51.2			19.1	9.5	38.1
90MP025M6A8	90	6	8	58.2	57.7			19.1	9.5	38.1
100MP025M6A8	100	6	8	64.7	64.2			19.1	9.5	38.1
120MP025M6A10	120	6	10	77.6	77.1			19.1	9.5	38.1

G) Tooth Style :- MXL 2.03mm pitch Width of Belt:- 9 mm										
Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
10MP037M6CA3	10	6C	3	6.5	6	10.8		17.5	10.4	10.8
11MP037M6CA3	11	6C	3	7.1	6.6	11.4		17.5	10.4	11.4
12MP037M6CA3	12	6C	3	7.8	7.3	12.2		17.5	10.4	12.2
14MP037M6CA3	14	6C	3	9.1	8.6	13.5		17.5	10.4	13.5
15MP037M6CA4	15	6C	4	9.7	9.2	14.1		17.5	10.4	14.1
16MP037M6CA4	16	6C	4	10.3	9.8	14.7		17.5	10.4	14.7
18MP037M6FA4	18	6F	4	11.6	11.1	16.1	13.1	19.1	10.4	7.9
18MP037M6CA6	18	6C	6	11.6	11.1	16.1		17.5	10.4	16.1
20MP037M6FA4	20	6F	4	12.9	12.4	17.4	13.1	19.1	10.4	9.2
20MP037M6CA6	20	6C	6	12.9	12.4	17.4		17.5	10.4	17.4
21MP037M6FA4	21	6F	4	13.6	13.1	18	13.1	19.1	10.4	9.9
21MP037M6CA6	21	6C	6	13.6	13.1	18		17.5	10.4	18
22MP037M6FA4	22	6F	4	14.2	13.7	18.8	13.1	19.1	10.4	9.9
22MP037M6CA6	22	6C	6	14.2	13.7	18.8		17.5	10.4	18.8
24MP037M6FA6	24	6F	6	15.5	15	20.1	13.1	20.6	10.4	11.2
25MP037M6FA6	25	6F	6	16.2	15.7	20.7	13.1	20.6	10.4	11.9
28MP037M6FA6	28	6F	6	18.1	17.6	22.7	13.1	20.6	10.4	12.5
30MP037M6FA6	30	6F	6	19.4	18.9	24	13.1	20.6	10.4	13.9
32MP037M6FA6	32	6F	6	20.7	20.2	25.4	13.1	20.6	10.4	15.2
36MP037M6FA6	36	6F	6	23.3	28.8	28.1	13.1	20.6	10.4	17.2
40MP037M6FA6	40	6F	6	25.9	25.4	30.7	13.5	21.4	10.4	19.2
42MP037M6FA6	42	6F	6	27.2	26.7	32	13.5	21.4	10.4	20.5
44MP037M6FA6	44	6F	6	28.5	28	33.4	13.5	21.4	10.4	21.8
48MP037M6FA6	48	6F	6	31	30.5	36.1	13.5	21.4	10.4	23.8

60MP037M6FA6	60	6F	6	38.8	38.3	43.9	13.5	21.4	10.4	31
60MP037M6A6	60	6	6	38.8	38.3			22.2	12.7	29.2
72MP037M6A6	72	6	6	46.6	46.1			22.2	12.7	30.4
80MP037M6A8	80	6	8	51.7	51.2			22.2	12.7	38.1
90MP037M6A8	90	6	8	58.2	57.7			22.2	12.7	38.1
100MP037M6A8	100	6	8	64.7	64.2			22.2	12.7	38.1
120MP037M6A10	120	6	10	77.6	77.1			22.2	12.7	38.1

H) Tooth Style :-XL 5.08mm pitch Width of Belt:- 6 mm										
Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
10XL025M6FA6	10	6F	6	16.2	15.7	22	11.1	17.5	7.9	10
11XL025M6FA6	11	6F	6	17.8	17.3	24	11.1	17.5	7.9	11
12XL025M6FA6	12	6F	6	19.4	18.9	25	11.1	17.5	7.9	13
14XL025M6FA8	14	6F	8	22.6	22.1	28	11.1	17.5	7.9	14
15XL025M6FA8	15	6F	8	24.3	23.7	30	11.1	17.5	7.9	16
16XL025M6FA8	16	6F	8	25.9	25.4	32	11.1	17.5	7.9	17
18XL025M6FA8	18	6F	8	29.1	28.6	35	11.1	17.5	7.9	21
20XL025M6FA8	20	6F	8	32.3	31.8	38	11.1	19.1	7.9	24
22XL025M6FA8	22	6F	8	35.6	35.1	41	11.1	19.1	7.9	25
24XL025M6FA8	24	6F	8	38.8	38.3	44	11.1	19.8	7.9	27
28XL025M6FA8	28	6F	8	45.3	44.8	51	11.1	19.8	7.9	30
30XL025M6FA8	30	6F	8	48.5	48	54	11.1	19.8	7.9	33

I) Tooth Style :-XL 5.08mm pitch Width of Belt:- 9 mm										
Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
10XL037M6FA6	10	6F	6	16.2	15.7	22	14.2	20.6	10.9	10
11XL037M6FA6	11	6F	6	17.8	17.3	24	14.2	20.6	10.9	11
12XL037M6FA6	12	6F	6	19.4	18.9	25	14.2	20.6	10.9	13
14XL037M6FA8	14	6F	8	22.6	22.1	28	14.2	20.6	10.9	14
15XL037M6FA8	15	6F	8	24.3	23.7	30	14.2	20.6	10.9	16
16XL037M6FA8	16	6F	8	25.9	25.4	32	14.2	20.6	10.9	17

18XL037M6FA8	18	6F	8	29.1	28.6	35	14.2	20.6	10.9	21
20XL037M6FA8	20	6F	8	32.3	31.8	38	14.2	22.2	10.9	24
22XL037M6FA8	22	6F	8	25.6	35.1	41	14.2	22.2	10.9	25
24XL037M6FA8	24	6F	8	38.8	38.3	44	14.2	22.2	10.9	27
28XL037M6FA8	28	6F	8	45.36	44.8	51	14.2	23	10.9	30
30XL037M6FA10	30	6F	10	48.5	48	54	14.2	23	10.9	33
32XL037M6FA12	32	6F	12	51.7	51.2	57	14.2	23	10.9	37
10XL037M3FA6	10	3F	6	16.2	15.7	22	14.2	14.2	10.9	
11XL037M3FA6	11	3F	6	17.8	17.3	24	14.2	14.2	10.9	
12XL037M3FA6	12	3F	6	19.4	18.9	25	14.2	14.2	10.9	
14XL037M3FA8	14	3F	8	22.6	22.1	28	14.2	14.2	10.9	
15XL037M3FA8	15	3F	8	24.3	23.7	30	14.2	14.2	10.9	
16XL037M3FA8	16	3F	8	25.9	25.4	32	14.2	14.2	10.9	
18XL037M3FA8	18	3F	8	29.1	28.6	35	14.2	14.2	10.9	
20XL037M3FA8	20	3F	8	32.3	31.8	38	14.2	14.2	10.9	
22XL037M3FA8	22	3F	8	35.6	35.1	41	14.2	14.2	10.9	
24XL037M3FA8	24	3F	8	38.8	38.3	44	14.2	14.2	10.9	
28XL037M3FA8	28	3F	8	45.36	44.8	51	14.2	14.2	10.9	
30XL037M3FA8	30	3F	8	48.5	48	54	14.2	14.2	10.9	
10XL037M6A6	10	6	6	16.2	15.7		14.3	20.6	9.5	11
11XL037M6A6	11	6	6	17.8	17.3		14.3	20.6	9.5	13
12XL037M6A6	12	6	6	19.4	18.9		14.3	20.6	9.5	14
14XL037M6A8	14	6	8	22.6	22.1		14.3	20.6	9.5	16
15XL037M6A8	15	6	8	24.3	23.7		14.3	22.2	9.5	17
16XL037M6A8	16	6	8	25.9	25.4		14.3	22.2	9.5	19
18XL037M6A8	18	6	8	29.1	28.6		14.3	22.2	9.5	22
20XL037M6A8	20	6	8	32.3	31.8		14.3	23.8	9.5	24
22XL037M6A8	22	6	8	35.6	35.1		14.3	23.8	9.5	27
24XL037M6A8	24	6	8	38.8	38.3		14.3	23.8	9.5	30
28XL037M6A8	28	6	8	45.3	44.8		14.3	23.8	9.5	32
30XL037M6A10	30	6	10	48.5	48		14.3	23.8	9.5	35
32XL037M6A10	32	6	10	51.7	51.2		14.3	25.4	9.5	38
36XL037M6A10	36	6	10	58.2	57.7		14.3	25.4	9.5	38
40XL037M6A10	40	6	10	64.7	64.2		14.3	25.4	9.5	38
42XL037M6A10	42	6	10	67.9	67.4		14.3	25.4	9.5	38
44XL037M6A10	44	6	10	71.1	70.6		14.3	25.4	9.5	38

48XL037M6A12	48	6	12	77.6	77.1		14.3	25.4	9.5	38
60XL037M6WA12	60	6W	12	97	96.5		14.3	25.4	9.5	38
72XL037M6WA12	72	6W	12	116.4	115.9		14.3	25.4	9.5	38

J) Tooth Style :-AT 10 mm pitch Width of Belt:- 16 mm

Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
31AT10/18-2	18	6F	10	57.29	55.45	60.3	22	31	16	40
31AT10/20-2	20	6F	12	63.65	61.8	66.7	22	31	16	46
31AT10/22-2	22	6F	12	70.03	68.15	73	22	31	16	50
31AT10/24-2	24	6F	12	76.39	74.55	82	22	31	16	58
31AT10/25-2	25	6F	12	79.58	77.75	82	22	31	16	60
31AT10/27-2	27	6F	12	85.95	84.1	90.6	22	31	16	60
31AT10/30-2	30	6F	12	95.49	93.65	99	22	31	16	60
31AT10/32-2	32	6F	12	101.86	100	108	22	31	16	65
31AT10/36-2	36	6F	16	114.59	112.75	118	22	31	16	70
31AT10/40-2	40	6F	16	127.32	125.45	131	22	31	16	80
31AT10/44-2	44	6F	16	140.05	138.2	144	22	31	16	90
31AT10/48-0	48	6	16	152.78	150.95		22	31	16	95
31AT10/60-0	60	6	16	190.98	189.1		22	31	16	110

K) Tooth Style :-AT 10 mm pitch Width of Belt:- 25 mm

Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
42AT10/18-2	18	6F	10	57.29	55.45	60.3	32	42	25	40
42AT10/20-2	20	6F	12	63.65	61.8	66.7	32	42	25	46
42AT10/22-2	22	6F	12	70.03	68.15	73	32	42	25	50
42AT10/24-2	24	6F	12	76.39	74.55	82	32	42	25	58
42AT10/25-2	25	6F	12	79.58	77.75	83	32	42	25	60
42AT10/27-2	27	6F	12	85.95	84.1	90.6	32	42	25	60
42AT10/30-2	30	6F	12	95.49	93.65	99	32	42	25	60
42AT10/32-2	32	6F	12	101.86	100	108	32	42	25	65
42AT10/36-2	36	6F	16	114.59	112.75	118	32	42	25	70

42AT10/40-2	40	6F	16	127.32	125.45	131	32	42	25	80
42AT10/44-2	44	6F	16	140.05	138.2	144	32	42	25	90
42AT10/48-0	48	6	16	152.78	150.95		32	42	25	95
42AT10/60-0	60	6	16	190.98	189.1		32	42	25	110

L) Tooth Style :-AT 10 mm pitch Width of Belt:- 32 mm

Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
47AT10/18-2	18	6F	10	57.29	55.45	60.3	38	47	32	40
47AT10/20-2	20	6F	12	63.65	61.8	66.7	38	47	32	46
47AT10/22-2	22	6F	12	70.03	68.15	73	38	47	32	50
47AT10/24-2	24	6F	12	76.39	74.55	82	38	47	32	58
47AT10/25-2	25	6F	12	79.58	77.75	82	38	47	32	60
47AT10/27-2	27	6F	12	85.95	84.1	90.6	38	47	32	60
47AT10/30-2	30	6F	12	95.49	93.65	99	38	47	32	60
47AT10/32-2	32	6F	12	101.86	100	108	38	47	32	65
47AT10/36-2	36	6F	16	114.59	112.75	118	38	47	32	70
47AT10/40-2	40	6F	16	127.32	125.45	131	38	47	32	80
47AT10/44-2	44	6F	16	140.05	138.2	144	38	47	32	90
47AT10/48-0	48	6	16	152.78	150.95		38	47	32	95
47AT10/60-0	60	6	16	190.98	189.1		38	47	32	110

M) Tooth Style :-AT 10 mm pitch Width of Belt:- 50 mm

Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
66AT10/18-2	18	6F	10	57.29	55.45	60.3	57	66	50	40
66AT10/20-2	20	6F	12	63.65	61.8	66.7	57	66	50	46
66AT10/22-2	22	6F	12	70.03	68.15	73	57	66	50	50
66AT10/24-2	24	6F	12	76.39	74.55	82	57	66	50	58
66AT10/25-2	25	6F	12	79.58	77.75	82	57	66	50	60
66AT10/27-2	27	6F	12	85.95	84.1	90.6	57	66	50	60
66AT10/30-2	30	6F	12	95.49	93.65	99	57	66	50	60
66AT10/32-2	32	6F	12	101.86	100	108	57	66	50	65

66AT10/36-2	36	6F	16	114.59	112.75	118	57	66	50	70
66AT10/40-2	40	6F	16	127.32	125.45	131	57	66	50	80
66AT10/44-2	44	6F	16	140.05	138.2	144	57	66	50	90
66AT10/48-0	48	6	16	152.78	150.95		57	66	50	95
66AT10/60-0	60	6	16	190.98	189.1		57	66	50	110

N) Tooth Style :-AT 5 mm pitch Width of Belt:- 10 mm

Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
21AT5/12-2	12	6F		19.1	17.85	22.2	15	21	10	12
21AT5/14-2	14	6F		22.28	21.05	25.4	15	21	10	14
21AT5/15-2	15	6F	6	23.87	22.65	27	15	21	10	16
21AT5/16-2	16	6F	6	25.46	24.2	30	15	21	10	18
21AT5/18-2	18	6F	6	28.65	27.4	33	15	21	10	20
21AT5/20-2	20	6F	6	31.83	30.6	35	15	21	10	24
21AT5/22-2	22	6F	6	35.01	33.85	38	15	21	10	25
21AT5/24-2	24	6F	6	38.2	37	41.3	15	21	10	26
21AT5/25-2	25	6F	6	39.79	38.6	43	15	21	10	26
21AT5/26-2	26	6F	6	41.38	40.2	44.5	15	21	10	26
21AT5/27-2	27	6F	8	42.97	41.8	46	15	21	10	30
21AT5/30-2	30	6F	8	47.75	46.55	51	15	21	10	34
21AT5/32-2	32	6F	8	50.93	49.7	54	15	21	10	38
21AT5/36-2	36	6F	8	57.3	56.05	60.3	15	21	10	38
21AT5/40-2	40	6F	8	63.66	62.45	66.7	15	21	10	40
21AT5/44-0	44	6	8	70.03	68.8		15	21	10	50
21AT5/48-0	48	6	8	76.39	75.15		15	21	10	50
21AT5/60-0	60	6	8	95.49	94.25		15	21	10	65

O) Tooth Style :-AT 5 mm pitch Width of Belt:- 16 mm

Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
27AT5/12-2	12	6F		19.1	17.85	22.2	21	27	16	12
27AT5/14-2	14	6F		22.28	21.05	25.4	21	27	16	14

27AT5/15-2	15	6F	6	23.87	22.65	27	21	27	16	16
27AT5/16-2	16	6F	6	25.46	24.2	30	21	27	16	18
27AT5/18-2	18	6F	6	28.65	27.4	33	21	27	16	20
27AT5/20-2	20	6F	6	31.83	30.6	35	21	27	16	24
27AT5/22-2	22	6F	6	35.01	33.85	38	21	27	16	25
27AT5/24-2	24	6F	6	38.2	37	41.3	21	27	16	26
27AT5/25-2	25	6F	6	39.79	38.6	43	21	27	16	26
27AT5/26-2	26	6F	6	41.38	40.2	44.5	21	27	16	26
27AT5/27-2	27	6F	8	42.97	41.8	46	21	27	16	30
27AT5/30-2	30	6F	8	47.75	46.55	51	21	27	16	34
27AT5/32-2	32	6F	8	50.93	49.7	54	21	27	16	38
27AT5/36-2	36	6F	8	57.3	56.05	60.3	21	27	16	38
27AT5/40-2	40	6F	8	63.66	62.45	66.7	21	27	16	40
27AT5/44-0	44	6	8	70.03	68.8		21	27	16	50
27AT5/48-0	48	6	8	76.39	75.15		21	27	16	50
27AT5/60-0	60	6	8	95.49	94.25		21	27	16	65

P) Tooth Style :-AT 5 mm pitch Width of Belt:- 25 mm										
Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
38AT5/12-2	12	6F		19.1	17.85	22.2	32	38	25	12
38AT5/14-2	14	6F		22.28	21.05	25.4	32	38	25	14
38AT5/15-2	15	6F	6	23.87	22.65	27	32	38	25	16
38AT5/16-2	16	6F	6	25.46	24.2	30	32	38	25	18
38AT5/18-2	18	6F	6	28.65	27.4	33	32	38	25	20
38AT5/20-2	20	6F	6	31.83	30.6	35	32	38	25	24
38AT5/22-2	22	6F	6	35.01	33.85	38	32	38	25	25
38AT5/24-2	24	6F	8	38.2	37	41.3	32	38	25	26
38AT5/25-2	25	6F	8	39.79	38.6	43	32	38	25	26
38AT5/26-2	26	6F	8	41.38	40.2	44.5	32	38	25	26
38AT5/27-2	27	6F	8	42.97	41.8	46	32	38	25	30
38AT5/30-2	30	6F	8	47.75	46.55	51	32	38	25	34
38AT5/32-2	32	6F	8	50.93	49.7	54	32	38	25	38
38AT5/36-2	36	6F	8	57.3	56.05	60.3	32	38	25	38
38AT5/40-2	40	6F	8	63.66	62.45	66.7	32	38	25	40

38AT5/44-0	44	6	8	70.03	68.8		32	38	25	50
38AT5/48-0	48	6	8	76.39	75.15		32	38	25	50
38AT5/60-0	60	6	8	95.49	94.25		32	38	25	65
38AT5/72-0	72	6	10	114.62	113.35		32	38	25	80

Q) Tooth Style :-T 10 mm pitch Width of Belt:- 16 mm

Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
31T10/14-2	14	6F	8	44.56	42.7	48.4	21	31	16	32
31T10/15-2	15	6F	8	47.75	45.9	51.6	21	31	16	32
31T10/16-2	16	6F	8	50.93	49.1	54	21	31	16	35
31T10/18-2	18	6F	8	57.29	55.45	60.3	21	31	16	40
31T10/19-2	19	6F	8	60.48	58.65	63.5	21	31	16	44
31T10/20-2	20	6F	8	63.66	61.8	66.7	21	31	16	46
31T10/24-2	24	6F	8	76.39	74.55	78.6	21	31	16	58
31T10/25-2	25	6F	8	79.58	77.75	82	21	31	16	60
31T10/27-2	27	6F	8	85.95	84.1	90.6	21	31	16	60
31T10/30-2	30	6F	8	95.49	93.65	99	21	31	16	60
31T10/32-2	32	6F	10	101.86	100	108	21	31	16	65
31T10/36-2	36	6F	10	114.59	112.75	118	21	31	16	70
31T10/40-2	40	6F	10	127.32	125.45	131	21	31	16	80
31T10/48-0	48	6	16	152.78	150.95		21	31	16	95
31T10/60-0	60	6	16	190.98	189.15		21	31	16	110

R) Tooth Style :-T 10 mm pitch Width of Belt:- 25 mm

Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
40T10/14-2	14	6F	8	44.56	42.7	48.4	30	40	25	32
40T10/15-2	15	6F	8	47.75	45.9	51.6	30	40	25	32
40T10/16-2	16	6F	8	50.93	49.1	54	30	40	25	35
40T10/18-2	18	6F	8	57.29	55.45	60.3	30	40	25	40
40T10/19-2	19	6F	8	60.48	58.65	63.5	30	40	25	44
40T10/20-2	20	6F	8	63.66	61.8	66.7	30	40	25	46

40T10/24-2	24	6F	8	76.39	74.55	78.6	30	40	25	58
40T10/25-2	25	6F	8	79.58	77.75	82	30	40	25	60
40T10/27-2	27	6F	8	85.95	84.1	90.6	30	40	25	60
40T10/30-2	30	6F	8	95.49	93.65	99	30	40	25	60
40T10/32-2	32	6F	10	101.86	100	108	30	40	25	65
40T10/36-2	36	6F	10	114.59	112.75	118	30	40	25	70
40T10/40-2	40	6F	10	127.32	125.45	131	30	40	25	80
40T10/48-0	48	6	16	152.78	150.95		30	40	25	95
40T10/60-0	60	6	16	190.98	189.15		30	40	25	110

S) Tooth Style :-T 10 mm pitch Width of Belt:- 32 mm

Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
47T10/18-2	18	6F	10	57.29	55.45	60.3	37	47	32	40
47T10/19-2	19	6F	10	60.48	58.65	63.5	37	47	32	44
47T10/20-2	20	6F	12	63.66	61.8	66.7	37	47	32	46
47T10/24-2	24	6F	12	76.39	74.55	82	37	47	32	58
47T10/25-2	25	6F	21	79.58	77.75	82	37	47	32	60
47T10/27-2	27	6F	12	85.95	84.1	9.6	37	47	32	60
47T10/30-2	30	6F	12	95.49	93.65	99	37	47	32	60
47T10/32-2	32	6F	12	101.86	100	108	37	47	32	65
47T10/36-2	36	6F	16	114.59	112.75	118	37	47	32	70
47T10/40-2	40	6F	16	127.32	125.45	131	37	47	32	80
47T10/48-0	48	6	16	152.78	150.95		37	47	32	95
47T10/60-0	60	6	16	190.98	189.15		37	47	32	110

T) Tooth Style :-T 10 mm pitch Width of Belt:- 50 mm

Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
66T10/18-2	18	6F	10	57.29	55.45	60.3	56	66	50	40
66T10/19-2	19	6F	10	60.48	58.65	63.5	56	66	50	44
66T10/20-2	20	6F	12	63.66	61.8	66.7	56	66	50	46
66T10/24-2	24	6F	12	76.39	74.55	82	56	66	50	58

66T10/25-2	25	6F	12	79.58	77.75	82	56	66	50	60
66T10/27-2	27	6F	12	85.95	84.1	90.6	56	66	50	60
66T10/30-2	30	6F	12	95.49	93.65	99	56	66	50	60
66T10/32-2	32	6F	12	101.86	100	105	56	66	50	65
66T10/36-2	36	6F	16	114.59	112.75	118	56	66	50	70
66T10/40-2	40	6F	16	127.32	125.45	131	56	66	50	80
66T10/60-0	60	6	16	190.98	189.15		56	66	50	110
66T10/48-0	48	6	16	152.78	150.95		56	66	50	95

U) Tooth Style :-T 2.5 mm pitch Width of Belt:- 6 mm

Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
16T2.5/12-2	12	6C	3	9.6	9	13	10	16	6	13
16T2.5/14-2	14	6C	3	11.2	10.6	15	10	16	6	15
16T2.5/15-2	15	6C	3	12	11.4	15	10	16	6	15
16T2.5/16-2	16	6C	3	12.8	12.2	16	10	16	6	16
16T2.5/18-2	18	6F	4	14.4	13.8	18	10	16	6	9
16T2.5/19-2	19	6F	4	15.2	14.6	18	10	16	6	10
16T2.5/20-2	20	6F	4	16	15.4	20	10	16	6	11
16T2.5/22-2	22	6F	4	17.6	17	23	10	16	6	11
16T2.5/24-2	24	6F	4	19.15	18.55	23	10	16	6	12
16T2.5/25-2	25	6F	4	19.95	19.35	24	10	16	6	13
16T2.5/26-2	26	6F	4	20.75	20.15	26	10	16	6	14
16T2.5/28-2	28	6F	4	22.35	21.75	26	10	16	6	14
16T2.5/30-2	30	6F	6	23.95	23.35	30	10	16	6	16
16T2.5/32-2	32	6F	6	25.55	24.95	32	10	16	6	16
16T2.5/36-2	36	6F	6	28.75	28.15	36	10	16	6	20
16T2.5/40-2	40	6F	6	31.9	31.3	37.5	10	16	6	22
16T2.5/44-0	44	6	6	35.1	34.5		10	16	6	24
16T2.5/48-0	48	6	6	38.3	37.7		10	16	6	26
16T2.5/60-0	60	6	8	47.85	47.25		10	16	6	34

V) Tooth Style :-T 5 mm pitch Width of Belt:- 10 mm

Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
21T5/10-2	10	6F	4	16.05	15.05	20	15	21	10	8
21T5/12-2	12	6F	4	19.25	18.25	22.2	15	21	10	12
21T5/14-2	14	6F	4	22.45	21.45	25.4	15	21	10	14
21T5/15-2	15	6F	6	24.05	23.05	27	15	21	10	16
21T5/16-2	16	6F	6	25.6	24.6	30	15	21	10	18
21T5/18-2	18	6F	6	28.8	27.8	33	15	21	10	20
21T5/19.2	19	6F	6	30.4	29.4	33.3	15	21	10	22
21T5/20-2	20	6F	6	32	31	35	15	21	10	24
21T5/22-2	22	6F	6	35.25	34.25	38	15	21	10	25
21T5/24-2	24	6F	6	38.4	37.4	41.3	15	21	10	26
21T5/25-2	25	6F	6	40	39	43	15	21	10	26
21T5/26-2	26	6F	6	41.6	40.6	44.5	15	21	10	26
21T5/27-2	27	6F	8	43.2	42.2	46	15	21	10	30
21T5/30-2	30	6F	8	47.76	46.95	51	15	21	10	34
21T5/32-2	32	6F	8	50.94	50.1	54	15	21	10	38
21T5/36-2	36	6F	8	57.31	56.45	60.3	15	21	10	38
21T5/40-2	40	6F	8	63.66	62.85	66.7	15	21	10	40
21T5/60-0	60	6	8	95.52	94.65		15	21	10	65

W) Tooth Style :-T 5 mm pitch Width of Belt:- 16 mm

Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
27T5/10-2	10	6F	4	16.05	15.05	20	21	27	16	8
27T5/12-2	12	6F	4	19.25	18.25	22.2	21	27	16	12
27T5/14-2	14	6F	4	22.45	21.45	25.4	21	27	16	14
27T5/15-2	15	6F	6	24.05	23.05	27	21	27	16	16
27T5/16-2	16	6F	6	25.6	24.6	30	21	27	16	18
27T5/18-2	18	6F	6	28.8	27.8	33	21	27	16	20
27T5/19-2	19	6F	6	30.4	29.4	33.3	21	27	16	22
27T5/20-2	20	6F	6	32	31	35	21	27	16	24
27T5/22-2	22	6F	6	35.25	34.25	38	21	27	16	25

27T5/24-2	24	6F	6	38.4	37.4	41.3	21	27	16	26
27T5/25-2	25	6F	6	40	39	43	21	27	16	26
27T5/26-2	26	6F	6	41.6	40.6	44.5	21	27	16	26
27T5/27-2	27	6F	8	43.2	42.2	46	21	27	16	30
21T5/48-0	48	6	8	76.42	75.55		15	21	10	50
27T5/30-2	30	6F	8	47.95	46.95	51	21	27	16	34
27T5/32-2	32	6F	8	51.1	50.1	54	21	27	16	38
27T5/36-2	36	6F	8	57.45	56.45	60.3	21	27	16	38
27T5/40-2	40	6F	8	63.85	62.85	66.7	21	27	16	40
27T5/48-0	48	6	8	76.55	75.55		21	27	16	50
27T5/60-0	60	6	8	95.65	94.65		21	27	16	65

X) Tooth Style :-T 5 mm pitch Width of Belt:- 25 mm

Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
36T5/10-2	10	6F	6	16.05	15.05	20	30	36	25	8
36T5/12-2	12	6F	6	19.25	18.25	22.2	30	36	25	12
36T5/14-2	14	6F	6	22.45	21.45	25.4	30	36	25	14
36T5/15-2	15	6F	6	24.05	23.05	27	30	36	25	16
36T5/16-2	16	6F	6	25.6	24.6	30	30	36	25	18
36T5/18-2	18	6F	6	28.8	27.8	33	30	36	25	20
36T5/19-2	19	6F	6	30.4	29.4	33.3	30	36	25	22
36T5/20-2	20	6F	6	21	31	35	30	36	25	24
36T5/22-2	22	6F	6	35.25	34.25	38	30	36	25	25
36T5/24-2	24	6F	6	38.4	37.4	41.3	30	36	25	26
36T5/25-2	25	6F	6	40	39	43	30	36	25	26
36T5/26-2	26	6F	6	41.6	40.6	44.5	30	36	25	26
36T5/27-2	27	6F	8	43.2	42.2	46	30	36	25	30
36T5/30-2	30	6F	8	47.95	46.95	51	30	36	25	34
36T5/32-2	32	6F	8	51.1	50.1	54	30	36	25	38
36T5/36-2	36	6F	8	57.45	56.45	60.3	30	36	25	38
36T5/40-2	40	6F	8	63.85	62.85	66.7	30	36	25	40
36T5/48-0	48	6	8	76.55	75.55		30	36	25	50
36T5/60-0	60	6	8	95.65	94.65		30	36	25	65